

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

9805806



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>5</sup> :</b>  A23G 3/30	<b>A1</b>	<b>(11) International Publication Number:</b> WO 93/05663  <b>(43) International Publication Date:</b> 1 April 1993 (01.04.93)		
<table border="0" style="width: 100%;"><tr><td style="vertical-align: top; width: 50%;"><p><b>(21) International Application Number:</b> PCT/US92/08137</p><p><b>(22) International Filing Date:</b> 25 September 1992 (25.09.92)</p><p><b>(30) Priority data:</b> PCT/US91/07127 27 September 1991 (27.09.91) WO (34) Country for which the regional or international application was filed: 07/802,659 3 December 1991 (03.12.91) US</p><p><b>(60) Parent Applications or Grants</b> (63) Related by Continuation US 07/802,659 (CIP) Filed on 3 December 1991 (03.12.91) US PCT/US91/07127 (CIP) Filed on 27 September 1991 (27.09.91)</p><p><b>(71) Applicant (for all designated States except US):</b> WM. WRIGLEY JR. COMPANY [US/US]; 410 North Michigan Avenue, Chicago, IL 60611 (US).</p></td><td style="vertical-align: top; width: 50%;"><p><b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only) :</b> YATKA, Robert, J. [US/US]; 8823 West 147th Street, Orland Park, IL 60462 (US). RICHEY, Lindell, C. [US/US]; 1408 Eddy Lane, Lake Zurich, IL 60047 (US). MEYERS, Marc, A. [US/US]; 1428 Baldwin, Naperville, IL 60565 (US). BRODERICK, Kevin, B. [US/US]; 1527 Wenonah, Berwyn, IL 60402 (US). RECORD, David, W. [US/US]; 1308 Lathrop Road, River Forest, IL 60305 (US).</p><p><b>(74) Agent:</b> SHURTZ, Steven, P.; William Brinks Olds Hofer Gilson &amp; Lione, NBC Tower, Suite 3600, 455 North Cityfront Plaza Drive, Chicago, IL 60611 (US).</p><p><b>(81) Designated States:</b> AT, AU, BB, BG, BR, CA, CH, CS, DE, DK, ES, FI, GB, HU, JP, KP, KR, LK, LU, MG, MN, MW, NL, NO, PL, RO, RU, SD, SE, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG).</p><p><b>Published</b> With international search report. With amended claims.</p></td></tr></table>			<p><b>(21) International Application Number:</b> PCT/US92/08137</p> <p><b>(22) International Filing Date:</b> 25 September 1992 (25.09.92)</p> <p><b>(30) Priority data:</b> PCT/US91/07127 27 September 1991 (27.09.91) WO (34) Country for which the regional or international application was filed: 07/802,659 3 December 1991 (03.12.91) US</p> <p><b>(60) Parent Applications or Grants</b> (63) Related by Continuation US 07/802,659 (CIP) Filed on 3 December 1991 (03.12.91) US PCT/US91/07127 (CIP) Filed on 27 September 1991 (27.09.91)</p> <p><b>(71) Applicant (for all designated States except US):</b> WM. WRIGLEY JR. COMPANY [US/US]; 410 North Michigan Avenue, Chicago, IL 60611 (US).</p>	<p><b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only) :</b> YATKA, Robert, J. [US/US]; 8823 West 147th Street, Orland Park, IL 60462 (US). RICHEY, Lindell, C. [US/US]; 1408 Eddy Lane, Lake Zurich, IL 60047 (US). MEYERS, Marc, A. [US/US]; 1428 Baldwin, Naperville, IL 60565 (US). BRODERICK, Kevin, B. [US/US]; 1527 Wenonah, Berwyn, IL 60402 (US). RECORD, David, W. [US/US]; 1308 Lathrop Road, River Forest, IL 60305 (US).</p> <p><b>(74) Agent:</b> SHURTZ, Steven, P.; William Brinks Olds Hofer Gilson &amp; Lione, NBC Tower, Suite 3600, 455 North Cityfront Plaza Drive, Chicago, IL 60611 (US).</p> <p><b>(81) Designated States:</b> AT, AU, BB, BG, BR, CA, CH, CS, DE, DK, ES, FI, GB, HU, JP, KP, KR, LK, LU, MG, MN, MW, NL, NO, PL, RO, RU, SD, SE, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG).</p> <p><b>Published</b> With international search report. With amended claims.</p>
<p><b>(21) International Application Number:</b> PCT/US92/08137</p> <p><b>(22) International Filing Date:</b> 25 September 1992 (25.09.92)</p> <p><b>(30) Priority data:</b> PCT/US91/07127 27 September 1991 (27.09.91) WO (34) Country for which the regional or international application was filed: 07/802,659 3 December 1991 (03.12.91) US</p> <p><b>(60) Parent Applications or Grants</b> (63) Related by Continuation US 07/802,659 (CIP) Filed on 3 December 1991 (03.12.91) US PCT/US91/07127 (CIP) Filed on 27 September 1991 (27.09.91)</p> <p><b>(71) Applicant (for all designated States except US):</b> WM. WRIGLEY JR. COMPANY [US/US]; 410 North Michigan Avenue, Chicago, IL 60611 (US).</p>	<p><b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only) :</b> YATKA, Robert, J. [US/US]; 8823 West 147th Street, Orland Park, IL 60462 (US). RICHEY, Lindell, C. [US/US]; 1408 Eddy Lane, Lake Zurich, IL 60047 (US). MEYERS, Marc, A. [US/US]; 1428 Baldwin, Naperville, IL 60565 (US). BRODERICK, Kevin, B. [US/US]; 1527 Wenonah, Berwyn, IL 60402 (US). RECORD, David, W. [US/US]; 1308 Lathrop Road, River Forest, IL 60305 (US).</p> <p><b>(74) Agent:</b> SHURTZ, Steven, P.; William Brinks Olds Hofer Gilson &amp; Lione, NBC Tower, Suite 3600, 455 North Cityfront Plaza Drive, Chicago, IL 60611 (US).</p> <p><b>(81) Designated States:</b> AT, AU, BB, BG, BR, CA, CH, CS, DE, DK, ES, FI, GB, HU, JP, KP, KR, LK, LU, MG, MN, MW, NL, NO, PL, RO, RU, SD, SE, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG).</p> <p><b>Published</b> With international search report. With amended claims.</p>			
<b>(54) Title:</b> CHEWING GUM AND OTHER COMESTIBLES CONTAINING INDIGESTIBLE DEXTRIN				
<p><b>(57) Abstract</b></p> <p>Chewing gum products and other comestibles containing indigestible dextrin and methods of making such products are disclosed. In one embodiment, the indigestible dextrin is used in a rolling compound applied to the chewing gum product. In a second embodiment, the indigestible dextrin is used in a coating, such as a hard-shell coating, for a pellet gum. In a third embodiment, indigestible dextrin is used in the center fill of a chewing gum. In a fourth embodiment, aspartame is used to sweeten the gum composition, and indigestible dextrin is provided in an effective amount to stabilize the aspartame such that after eight weeks of storage at 85 °F, at least 10 % more aspartame remains undecomposed than would have remained if the indigestible dextrin were not included. Indigestible dextrin is also codried with other sweeteners, coevaporated to make syrups and used as an encapsulating agent for high-intensity sweeteners used in gum compositions. Also, indigestible dextrin that has been purified to remove fermentable components is used to make chewing gum and other confections.</p>				

*FOR THE PURPOSES OF INFORMATION ONLY*

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FI	Finland	MN	Mongolia
AU	Australia	FR	France	MR	Mauritania
BB	Barbados	GA	Gabon	MW	Malawi
BE	Belgium	GB	United Kingdom	NL	Netherlands
BF	Burkina Faso	GN	Guinea	NO	Norway
BG	Bulgaria	GR	Greece	NZ	New Zealand
BJ	Benin	HU	Hungary	PL	Poland
BR	Brazil	IE	Ireland	PT	Portugal
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	RU	Russian Federation
CG	Congo	KP	Democratic People's Republic of Korea	SD	Sudan
CH	Switzerland	KR	Republic of Korea	SE	Sweden
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovak Republic
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CS	Czechoslovakia	LU	Luxembourg	SU	Soviet Union
CZ	Czech Republic	MC	Monaco	TD	Chad
DE	Germany	MG	Madagascar	TG	Togo
DK	Denmark	MI	Mali	UA	Ukraine
ES	Spain			US	United States of America

- 1 -

CHEWING GUM AND OTHER COMESTIBLES  
CONTAINING INDIGESTIBLE DEXTRIN

CROSS REFERENCE TO RELATED APPLICATIONS

The present application is a continuation-in-part of Application Serial No. PCT/US91/07127, filed as a PCT application on September 27, 1991. That application, published as WO 92/09208, is incorporated herein by reference. The present application is also a continuation-of-part of U.S. Patent Application Serial No. 07/802,659 filed December 3, 1991, also incorporated herein by reference.

BACKGROUND OF THE INVENTION

The present invention relates to improved compositions of chewing gum and other comestibles. More particularly, the invention relates to improving chewing gum by the use of specific bulking agents in sugar and non-sugar chewing gum products to give improved texture, moisture absorption properties, and improved shelf-life properties, including aspartame stability. The improved chewing gum compositions may also be used in a variety of chewing gum products such as confectionery coated chewing gum products. Many aspects of the invention are also applicable to confectionary products and other comestibles.

In recent years, efforts have been devoted to replace sugar and sugar syrups normally found in chew-

ing gum with other carbohydrates and non-carbohydrates. Non-sugar or sugar-free chewing gum, which is growing in popularity, uses sugar alcohols or polyols to replace sugar and sugar syrups. The most popular polyols are sorbitol, mannitol, and xylitol. New polyols are being developed using new technology to replace these polyols. New polyols have various unique properties which can improve the taste, texture, and shelf-life properties of chewing gum for consumers.

The non-sugar polyols have the advantage of not contributing to dental caries of consumers, as well as being able to be consumed by diabetics. However, all polyols have the disadvantage of causing gastrointestinal disturbances if consumed in too great of a quantity. Therefore it would be a great advantage to be able to use a carbohydrate or carbohydrate-like food ingredient for chewing gum and other comestibles that would act as a bulking agent, but not contribute to dental caries nor cause gastrointestinal disturbances.

One such bulking agent is indigestible dextrin, varieties of which are sold under the tradename of Fibersol. This bulking agent or bulk sweetener has recently attained GRAS (generally recognized as safe) status from the USFDA. The bulk sweetener is also approved for use in Japan. Although a carbohydrate, indigestible dextrin does not contribute to dental caries, does not cause gastrointestinal disturbances and does not contribute to calories. Thus, this ingredient's use in chewing gum could be a definite improvement.

The manufacture of indigestible dextrin is disclosed in EPO Patent Publication No. 0 368 451, and its method of preparation is disclosed in other related patent publications, including Japanese Patent Applications Nos. 2100695; 2145169 and 2154664 and EPO Patent Publication No. 0 477 089. Other patent documents that

- 3 -

WO 93/05663

mention indigestible dextrin include EPO Patent Publication No. 0 435 656 and Japanese Patent Publication Nos. 91-047831 and 91-047832.

The use of indigestible dextrin in chewing gum and a variety of low calorie foods and drinks is disclosed in EPO Patent Publication No. 0 487 187.

Additional information is supplied by brochures from Matsutani Chemical Industry Co., Ltd. of Japan, titled "All About Pinefibre" and "Basic Properties of Fibersol 2."

A similar type material, starch hydrolyzate dextrin, is disclosed in U.S. Patent No. 3,974,032.

The product is a low D.E. starch hydrolyzate of improved stability prepared by enzymatic hydrolysis of dextrins.

#### SUMMARY OF THE INVENTION

Chewing gum products and other comestibles containing indigestible dextrin and methods of making such products have been invented. In one embodiment, the indigestible dextrin is used in a rolling compound, applied to the chewing gum product. In a second embodiment, the indigestible dextrin is used in a coating, such as a hard-shell coating, for a pellet gum. In a third embodiment, indigestible dextrin is used in a center fill of a chewing gum product. In a fourth embodiment, aspartame is used to sweeten the gum composition, and indigestible dextrin is provided in an effective amount to stabilize the aspartame such that after eight weeks of storage at 85°F, at least 10% more aspartame remains undecomposed than would have remained if the indigestible dextrin were not included. In another embodiment, indigestible dextrin purified to remove fermentable components is used to make chewing gum and other comestibles. Indigestible dextrin is also used in another embodiment as an encapsulating agent for high intensity sweeteners or flavors used in

gum compositions. In yet another embodiment, indigestible dextrin is co-dried from a solution with another sweetener selected from the group consisting of sugar sweeteners, alditol sweeteners and high potency sweeteners and used in a gum composition. In still another embodiment, indigestible dextrin and a plasticizing agent are co-evaporated to form a syrup that is used in a gum composition.

Since indigestible dextrin does not cause gastrointestinal disturbances, and does not significantly contribute to calories, it gives a highly consumer-acceptable chewing gum product. Purified indigestible dextrin, having all fermentable components removed, gives the further benefit of being non-cariogenic, and products using purified indigestible dextrin are thus highly preferred.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows test results of aspartame stability for gum made with indigestible dextrin.

FIG. 2 shows test results of aspartame stability for gum made with sorbitol liquid and indigestible dextrin.

FIG. 3 shows test results of aspartame stability for gum made with HSH syrup and indigestible dextrin.

FIG. 4 shows the Taber stiffness of low moisture gum containing indigestible dextrin.

FIG. 5 shows the flexibility of low moisture gum containing indigestible dextrin.

FIG. 6 shows the Taber stiffness of high moisture gum containing indigestible dextrin.

FIG. 7 shows the flexibility of high moisture gum containing indigestible dextrin.

DETAILED DESCRIPTION OF THE DRAWINGS AND  
PREFERRED EMBODIMENTS OF THE INVENTION

As used herein, the term "chewing gum" also includes bubble gum and the like. Unless otherwise specified, all percentages used herein are weight percents.

Starches are available from a wide variety of grains, but the most common are corn starch or potato starch. Starches are readily hydrolyzed by acid or enzyme to shorter chain carbohydrates composed of glucose units. Completely hydrolyzed starch will yield glucose. Intermediate products are glucose syrups, maltodextrins, dextrins, and modified starch. All starches are composed of mostly  $\alpha$ -1,4 linkages between the glucose units, with relatively few  $\alpha$ -1,2;  $\alpha$ -1,3; and  $\alpha$ -1,6 bonds. As starches are hydrolyzed to dextrins, maltodextrins, and glucose syrups, these products continue to have glucose units linked by  $\alpha$ -1,4 bonds. Maltodextrins and glucose syrups, having a high level of  $\alpha$ -1,4 bonds, are hydrolyzed by salivary alpha amylase to fermentable carbohydrates, which are then converted by bacteria in the mouth to acids, which in turn causes dental caries. Dextrins, however, are made in a unique fashion compared to maltodextrins and glucose syrups. Dextrins are made by hydrolyzing starches in a dry state by the addition of acid and heat (roasting). The roasting process causes glucose obtained by hydrolysis to recombine with the larger carbohydrates to form  $\alpha$ -1,2,  $\alpha$ -1,3, and  $\alpha$ -1,6 bonds. Additional roasting gives highly branched carbohydrates or pyrodextrins.

One supplier has further hydrolyzed the pyrodextrins with enzyme treatments to make a very highly branched product that has properties like a maltodextrin, but is virtually indigestible. This product, called Fibersol or indigestible dextrin, is

very water soluble, but has digestion properties like fiber.

There are several types of indigestible dextrin. There is Pinefiber and Pinefiber C, obtained from potato starch, and Fibersol 1 and Fibersol 2, obtained from corn starch. Fibersol 1 (DE= 8-12) has a higher molecular weight, while Fibersol 2 (DE= 13-18) has a lower molecular weight. Indigestible dextrin is also available as a low density material called Dexflow or Pineflow. All of these materials have similar properties and are referred to herein generically as indigestible dextrin. Any of these forms, as well as purified forms of indigestible dextrin described below, may be used in chewing gum and other comestibles.

Even though Fibersol 2 brand indigestible dextrin is highly branched, it has similar properties to a maltodextrin. As a result, Fibersol 2 has attained GRAS status from the USA Food and Drug Administration as a maltodextrin. Fibersol 1 has been granted GRAS status as a dextrin. In Japan, Fibersol is considered a fat-replacer, low calorie bulking agent. The calorie value of Fibersol is 0.8 Kcal/g, compared to 4.0 Kcal/g for glucose. This indigestible dextrin is being marketed in the U.S. by Fibersol America, a division of Matsutani Chemical Industry Co., Ltd. of Hyogo-Pref., Japan.

Human plaque acidity testing is one of the methods internationally recognized (American Dental Association, Swiss Health Authority) as suitable for evaluating whether a food has the potential to cause cavities. The method is based on the known mechanism of caries development. If no acid ( $\text{pH} > 5.7$ ) is produced from the food, then there is no possibility that enamel will erode and eventually develop into a cavity.

The technique used for such plaque acidity testing is to install a miniature pH electrode in a



partial denture. The subjects wear the denture for several days in order to allow the normal accumulation of plaque on the electrode. Subjects report to the test laboratory, the electrode is calibrated, and the pH responses to test foods and controls are recorded. If the pH response to a test food does not drop below pH 5.7 during or after eating, the food is accepted as not forming enough acid to cause mineral loss from teeth.

A sample of Fibersol 2 was tested for dental effects by this plaque pH test. Even though it was considered virtually indigestible, the material showed a reduction of plaque pH similar to expected results of maltodextrin, below a pH of 5.7. Analysis of the sample of Fibersol 2 used in the plaque pH test showed that it contained:

- 96.38% higher saccharide
- 1.90% maltose
- 0.53% glucose
- 0.38% maltosan
- 0.53% fructose and
- 0.29% levoglucosan.

The maltose, glucose, and fructose (making up 2.96% of the Fibersol 2) are fermentable, which may have caused the resulting low pH from the plaque pH tests. Further analysis of other samples of Fibersol 2 indicated that Fibersol 2 may contain up to about 10% glucose, fructose and maltose.

Removal of the fermentable components can be done by yeast fermentation, various types of chromatography, including liquid chromatography and gel permeation chromatography, ultrafiltration, and the use of glucose oxidase and maltase enzyme systems.

The yeast fermentation process is one method of eliminating fermentable components from Fibersol 2 or other indigestible dextrans. The process involves the following steps:

- 8 -

- 1) Prepare a 20% solution of dextrin in water and adjust pH to 4-4.5.
- 2) Add 0.5% Bakers Yeast (by weight of dextrin) and stir constantly, at 20-35°C for 4-16 hours or until all glucose and maltose is gone as analyzed by HPLC.
- 3) When completed, bring solution to a boil for 5-10 minutes to inactivate yeast.
- 4) Filter out the insoluble portion.
- 5) Evaporate, freeze dry or spray dry the filtrate.
- 6) Optionally, the filtrate may be decolorized by treatment with activated carbon and/or treated through an ion-exchange column to remove degraded protein and to deionize the filtrate.

Applicants requested Matsutani, the supplier of Fibersol 2, to make Fibersol 2 with no dextrose, maltose, or other fermentable sugars. Matsutani has recently produced such a purified material, which Matsutani has designated Fibersol G.

Samples of a Fibersol G powder (which appeared to be spray dried) were sent to the Dental Institute of the University of Zurich, Switzerland, for human plaque acidity testing. In the first 22 minutes of the testing, a stable baseline was obtained by the subject first chewing paraffin from time 0-2 min. The subject then rinsed with 15 ml of 10% aqueous Fibersol G solution for 2 minutes and the pH was monitored for an additional 40 minutes. At minute 64, the subject rinsed with 0.3 M sucrose to validate the test. This control ensures that the system is capable of detecting acid if it were produced by the plaque. At the end of the test session, the subject again chewed paraffin so that the plaque acidity resulting from the sucrose is neutralized.

Results indicated that the plaque pH remained high (above 5.7) during the test procedure, thus indicating that Fibersol G does not contribute to dental caries. Fibersol G is hypoacidogenic and therefore non-cariogenic to a degree comparable to polyols such as sorbitol or mannitol. Even though Fibersol G is considered a maltodextrin, based on these tests its unique non-cariogenic potential allows it to be useful in sugar-free confections such as chewing gum and candies, and in a wide variety of other foods.

Indigestible dextrin may be added to chewing gum and other comestible in its powder form, or may be first dissolved in water. Indigestible dextrin's solubility in water is about 80% at room temperature, but increases with increased temperature like other maltodextrins. Indigestible dextrin may be used in chewing gum as a texture and flavor modifier, bulking agent, and may improve texture, flavor, and shelf life properties. Indigestible dextrin may replace solids like sucrose, dextrose, or lactose when used in its powder form, or may replace syrups when used in its liquid or syrup form. At levels of about 0.5% to about 25%, indigestible dextrin may replace part of the solids in sugar gum or, as a liquid, all or part of the syrup in sugar gum. At higher levels of about 25% to about 90% of the gum formulation, indigestible dextrin may replace all of the solids in a chewing gum formulation.

In its powder or liquid form, a sufficient quantity of indigestible dextrin can also stabilize aspartame. At levels above 10%, indigestible dextrin may replace significant quantities of sucrose and syrup. Because of the resulting lower sweetness, aspartame may be added. It has been found that aspartame is stabilized with indigestible dextrin, especially when the indigestible dextrin is used at a level of 10% or more of the gum. In preferred

- 10 -

embodiments, an effective amount of indigestible dextrin is used in gums with sweetness imparting amounts of unencapsulated aspartame to stabilize the aspartame against decomposition during storage at 85°F for eight weeks whereby at least 10% more aspartame remains undecomposed into non-sweetening derivatives than would have remained undecomposed, if the indigestible dextrin were not included in the gum composition.

Although indigestible dextrin is a carbohydrate, its unique anti-carries properties, especially of Fibersol G, suggest that it may be used in chewing gum formulations containing non-sugar ingredients. Non-sugar ingredients are alditols such as sorbitol, mannitol, xylitol, lactitol, palatinit (Isomalt), maltitol, and hydrogenated starch hydrolyzates. These alditols are used in a variety of combinations to develop unique sugarless chewing gum formulations. Indigestible dextrin may be used to replace the individual alditols or combinations of alditols. With partial replacement of one or more alditols, indigestible dextrin can be used at levels of about 0.5-25%. If indigestible dextrin replaces a large amount or most of the alditols, this level may be about 25% to about 90% of the gum formulation.

Some sugar-free chewing gum formulations contain high levels of glycerin and are very low in moisture, i.e., less than about 2%. Indigestible dextrin solids or syrup may replace part or all of the glycerin used in these types of formulations. At higher moisture levels (more than 2%) in sugar-free gum, a liquid sorbitol (70% sorbitol, 30% water) is used.

When using indigestible dextrin, preferably sorbitol liquid should also be used to obtain soft textured gum formulations. Previous high moisture formulations containing liquid sorbitol were not made

- 11 -

with aspartame, since the moisture caused degradation of aspartame. However, when sufficient indigestible dextrin (generally greater than about 10%) is added to a high moisture gum, aspartame is stabilized, and degradation is reduced or eliminated.

Recent advances use HSH and glycerin preblended and co-evaporated to reduce moisture in some sugar-free gum formulations. Indigestible dextrin solids and/or syrup may be used to replace part or all of the HSH/glycerin blends in chewing gum formulations. Aqueous indigestible dextrin solids and/or indigestible dextrin syrup may also replace HSH in the preblend with glycerin and be co-evaporated with glycerin to obtain a low moisture, non-crystallizable blend. Combinations of indigestible dextrin solids/syrup with alditols like sorbitol, maltitol, xylitol, lactitol and mannitol in aqueous form may also be blended with glycerin and co-evaporated for use in low-moisture, sugar-free gum.

Indigestible dextrin may be used in gum formulations with hydrogenated starch hydrolysates (HSH) without preblending with glycerin and coevaporation. Low levels of moisture are not necessary to prevent degradation of aspartame when indigestible dextrin is used, so HSH syrups at about 20-30% moisture do not need to be modified to reduce moisture to improve aspartame stability.

Indigestible dextrin bulk sweetener may also be co-dried with a variety of sugars such as sucrose, dextrose, lactose, fructose, and corn syrup solids and used in a sugar-containing gum formulation. Indigestible dextrin may be co-dried with a variety of alditols, such as sorbitol, mannitol, xylitol, maltitol, palatinit and hydrogenated starch hydrolyzates, and used in a sugar-free gum formulation. Co-drying refers to methods of co-crystallization and co-precipitation of indigestible dextrin with sugars

and alditols, as well as co-drying by encapsulation, agglomeration, and absorption with sugars and alditols.

Co-drying by encapsulation, agglomeration, and absorption can also include the use of encapsulating and agglomerating agents. Indigestible dextrin may be mixed with sugars or alditols prior to being redried by encapsulation or agglomeration, or may be used alone with the encapsulating and agglomerating agents. These agents modify the physical properties of the bulk sweetener and control its release from chewing gum.

Three methods to obtain a controlled release of bulk sweetener are: (1) encapsulation by spray drying, fluid-bed coating, spray chilling and co-acervation to give full or partial encapsulation, (2) agglomeration to give partial encapsulation and (3) fixation or entrapment/absorption which also gives partial encapsulation. These three methods, combined in any usable manner which physically isolates the bulk sweetener, reduces its dissolvability or slows down the release of bulk sweetener, are included in this invention.

Indigestible dextrin may act as an encapsulating or agglomerating agent. Indigestible dextrin may also be used to absorb other ingredients. Indigestible dextrin may be able to encapsulate, agglomerate or entrap/absorb flavors and high-intensity sweeteners like aspartame, alitame, cyclamic acid and its salts, saccharin acid and its salts, acesulfame and its salts, sucralose, dihydrochalcones, thaumatin, monellin or combinations thereof. Encapsulation of high-intensity sweeteners with indigestible dextrin may improve the sweetener's shelf-life.

Indigestible dextrin may be used with other bulk sweeteners and in combination give unique properties. Indigestible dextrin may be co-dried by various delayed release methods noted above with other bulk sweeteners like sucrose, dextrose, lactose,

- 13 -

maltose, fructose, corn syrup solids, sorbitol, mannitol, xylitol, maltitol, palatinit and hydrogenated starch hydrolysates for use in sugar and sugar-free chewing gum. Ingredients, including flavors, co-dried, encapsulated, agglomerated or absorbed on indigestible dextrin may show faster release. However, encapsulation of flavors with indigestible dextrin may improve the shelf-life of the flavor ingredient.

Other methods of treating the indigestible dextrin bulk sweetener to physically isolate the sweetener from other chewing gum ingredients may also have some effect on its release rate and its effect on chewing gum flavor and texture. The bulk sweetener may be added to the liquid inside a liquid center gum product. The center fill of a gum product may comprise one or more carbohydrate syrups, glycerin, thickeners, flavors, acidulants, colors, sugars and sugar alcohols in conventional amounts. The ingredients are combined in a conventional manner. The bulk sweetener is dissolved in the center-fill liquid and the amount of bulk sweetener added to the center-fill liquid may be about 0.1% to about 20% by weight of the entire chewing gum formula. This method of using the bulk sweetener in chewing gum can allow for a lower usage level of the bulk sweetener, can give the bulk sweetener a smooth release rate, and can reduce or eliminate any possible reaction of the bulk sweetener with gum base, flavor components or other components, yielding improved shelf stability.

Another method of isolating the indigestible dextrin bulk sweetener from other chewing gum ingredients is to add indigestible dextrin to the dusting compound of a chewing gum. A rolling or dusting compound is applied to the surface of chewing gum as it is formed. This rolling or dusting compound serves to reduce sticking to machinery as it is formed, reduces sticking of the product to machinery as it is

wrapped, and sticking to its wrapper after it is wrapped and being stored. The rolling compound comprises indigestible dextrin bulk sweetener alone or in combination with mannitol, sorbitol, sucrose, starch, calcium carbonate, talc, other orally acceptable substances or a combination thereof. The rolling compound constitutes from about 0.25% to about 10.0%, but preferably about 1% to about 3% of weight of the chewing gum composition. The amount of indigestible dextrin bulk sweetener added to the rolling compound is about 0.5% to 100% of the rolling compound or about 0.005% to about 5% of the chewing gum composition. This method of using indigestible dextrin bulk sweetener in the chewing gum can allow a lower usage level of the bulk sweetener, can give the bulk sweetener a more controlled release rate, and can reduce or eliminate any possible reaction of the bulk sweetener with gum base, flavor components, or other components, yielding improved shelf stability.

Another method of isolating indigestible dextrin sweetener is to use it in the coating/panning of a pellet chewing gum. Pellet or ball gum is prepared as conventional chewing gum, but formed into pellets that are pillow shaped or into balls. The pellets/balls can then be coated or panned by conventional panning techniques to make a unique coated pellet gum.

Conventional panning procedures generally apply a liquid coating to a pellet, which is then solidified, usually by drying the coating. The coating layer is built up by successive coating and drying steps.

Indigestible dextrin is very stable and highly water soluble, and can be easily added to a sugar solution prepared for sugar panning. Indigestible dextrin may be added in a liquid form to the sucrose coating or any other sugar or alditol coating.



Indigestible dextrin can also be added as a powder blended with other powders often used in some types of conventional panning procedures. Using indigestible dextrin sweetener isolates it from other gum ingredients and modifies its release rate in chewing gum. Levels of use of indigestible dextrin may be about 0.1% to about 20% in the coating and about 0.05% to about 10% of the weight of the chewing gum product. The weight of the coating may be about 20% to about 50% of the weight of the finished gum product.

Conventional panning procedures generally coat with sucrose, but recent advances in panning have allowed the use of other carbohydrate materials to be used in the place of sucrose. Some of these components include, but are not limited to, dextrose, maltose, palatinose, xylitol, lactitol, palatinit and other new alditols or a combination thereof. These materials may be blended with panning modifiers including, but not limited to, gum arabic, maltodextrins, corn syrup, gelatin, cellulose derivatives like carboxymethyl cellulose or hydroxymethyl cellulose, starch and modified starches, vegetable gums like alginates, locust bean gum, guar gum, and gum tragacanth, insoluble carbonates like calcium carbonate or magnesium carbonate and talc. Indigestible dextrin may also act as a panning modifier with other panning materials to improve product quality. Antitack agents may also be added as panning modifiers, which allow the use of a variety of carbohydrates and sugar alcohols to be used in the development of new panned or coated gum products. Flavors may also be added with the sugar coating and with the indigestible dextrin bulk sweetener to yield unique product characteristics.

Another method to improve coating processes using sugars or alditols is to add a powder coating after a liquid coating. The powder coating may include indigestible dextrin, maltodextrin, gelatin, cellulose

derivatives, starches, modified starches, vegetable gums, and fillers like talc and calcium carbonate. This will reduce stickiness and allow a faster build-up of coating.

Indigestible dextrin may be added to the liquid syrup and used as a panning modifier with other sugar and sugar alcohol syrups such as dextrose, sucrose, xylitol, and palatinit. Indigestible dextrin may act as a binder to, and film former for, the sugar or sugar alcohol coating.

The previously described indigestible dextrin bulk sweetener may readily be incorporated into a chewing gum composition. The remainder of the chewing gum ingredients are noncritical to the present invention. That is, the bulk sweetener can be incorporated into conventional chewing gum formulations in a conventional manner. The indigestible dextrin bulk sweetener may be used in a sugar-free or sugar chewing gum to modify the sweetness thereof. The bulk sweetener may be used in either regular chewing gum or bubble gum. Higher levels of indigestible dextrin will reduce sweetness, thus allowing for its use in non-sweet flavored chewing gums such as snack flavors or savory flavors.

In general, a chewing gum composition typically comprises a water-soluble bulk portion, a water-insoluble chewable gum base portion and typically water-insoluble flavoring agents. The water-soluble portion dissipates with a portion of the flavoring agent over a period of time during chewing. The gum base portion is retained in the mouth throughout the chew.

The insoluble gum base generally comprises elastomers, resins, fats and oils, waxes, softeners and inorganic fillers. Elastomers may include polyisobutylene, isobutylene-isoprene copolymer and styrene butadiene rubber, as well as natural latexes such as

- 17 -

chicle. Resins include polyvinylacetate and terpene resins. Fats and oils may also be included in the gum base, including tallow, hydrogenated and partially hydrogenated vegetable oils, and cocoa butter. Commonly employed waxes include paraffin, microcrystalline and natural waxes such as beeswax and carnauba. According to the preferred embodiment of the present invention, the insoluble gum base constitutes between about 5 to about 95% by weight of the gum. More preferably the insoluble gum base comprises between 10 and 50 percent by weight of the gum and most preferably about 20 to about 35% by weight of the gum.

The gum base typically also includes a filler component. The filler component may be calcium carbonate, magnesium carbonate, talc, dicalcium phosphate or the like. The filler may constitute between about 5 and about 60% by weight of the gum base. Preferably, the filler comprises about 5 to about 50% by weight of the gum base.

Gum bases typically also contain softeners, including glycerol monostearate and glycerol triacetate. Further, gum bases may also contain optional ingredients such as antioxidants, colors, and emulsifiers. The present invention contemplates employing any commercially acceptable gum base.

The water-soluble portion of the chewing gum may further comprise softeners, sweeteners, flavoring agents and combinations thereof. The sweeteners often fill the role of bulking agents in the gum. The bulking agents generally comprise from about 5% to about 90%, preferably from about 20% to about 80%, and most preferably from about 30% to about 60% of the gum.

Softeners are added to the chewing gum in order to optimize the chewability and mouth feel of the gum. Softeners, also known in the art as plasticizers or plasticizing agents, generally constitute between about 0.5 to about 15.0% by weight of the chewing gum.

Softeners contemplated by the present invention include glycerin, lecithin, and combinations thereof. Further, aqueous sweetener solutions such as those containing sorbitol, hydrogenated starch hydrolysates, corn syrup and combinations thereof may be used as softeners and binding agents in gum.

As mentioned above, the indigestible dextrin bulk sweetener of the present invention will most likely be used in sugar-free gum formulations. However, sugar formulations are also within the scope of the invention. Sugar sweeteners generally include saccharide-containing components commonly known in the chewing gum art which comprise, but are not limited to, sucrose, dextrose, maltose, dextrin, dried invert sugar, fructose, levulose, galactose, corn syrup solids and the like, alone or in any combination.

The indigestible dextrin bulk sweetener of the present invention can also be used in combination with other sugarless sweeteners. Generally sugarless sweeteners include components with sweetening characteristics but which are devoid of the commonly known sugars and comprise, but are not limited to, sugar alcohols such as sorbitol, mannitol, xylitol, hydrogenated starch hydrolyzates, maltitol and the like, alone or in any combination.

Depending on the particular sweetness release profile and shelf-stability needed, the indigestible dextrin solid/syrup bulk sweeteners of the present invention can also be used in combination with coated or uncoated high-potency sweeteners or with high-potency sweeteners coated with other materials and by other techniques.

A flavoring agent may be present in the chewing gum in an amount within the range of from about 0.1 to about 10.0 weight percent and preferably from about 0.5 to about 3.0 weight percent of the gum. The flavoring agents may comprise essential oils, synthetic

flavors, or mixture thereof including, but not limited to, oils derived from plants and fruits such as citrus oils, fruit essences, peppermint oil, spearmint oil, clove oil, oil of wintergreen, anise, and the like. Artificial flavoring components are also contemplated for use in gums of the present invention. Those skilled in the art will recognize that natural and artificial flavoring agents may be combined in any sensorially acceptable blend. All such flavors and flavor blends are contemplated by the present invention.

Optional ingredients such as colors, emulsifiers and pharmaceutical agents may be added to the chewing gum.

In general, chewing gum is manufactured by sequentially adding the various chewing gum ingredients to a commercially available mixer known in the art. After the ingredients have been thoroughly mixed, the gum mass is discharged from the mixer and shaped into the desired form such as by rolling into sheets and cutting into sticks, extruding into chunks or casting into pellets.

Generally, the ingredients are mixed by first melting the gum base and adding it to the running mixer. The base may also be melted in the mixer itself. Color or emulsifiers may also be added at this time. A softener such as glycerin may also be added at this time, along with syrup and a portion of the bulking agent/sweetener. Further portions of the bulking agent/sweetener may then be added to the mixer. A flavoring agent is typically added with the final portion of the bulking agent. A high-intensity sweetener is preferably added after the final portion of bulking agent and flavor have been added.

The entire mixing procedure typically takes from five to fifteen minutes, but longer mixing times may sometimes be required. Those skilled in the art

will recognize that many variations of the above described procedure may be followed.

### Examples

The following examples of the invention and comparative examples are provided by way of explanation and illustration.

The formulas listed in Table 1 comprise various sugar-type formulas in which indigestible dextrin can be added to gum after it is dissolved in water and mixed with various aqueous solvents. Aspartame (APM), which is stabilized with indigestible dextrin, may also be added to the formula. Generally, APM is added to the gum at a level of about 0.005% to about 1% of the gum composition.

TABLE 1

	<u>EX. 1</u>	<u>EX. 2</u>	<u>EX. 3</u>	<u>EX. 4</u>	<u>EX. 5</u>	<u>EX. 6</u>	<u>EX. 7</u>	<u>EX. 8</u>
SUGAR	55.6	56.6	55.6	47.0	53.0	53.0	55.5	47.0
BASE	19.2	19.2	19.2	19.2	19.2	19.2	19.2	19.2
CORN SYRUP	12.8	1.8	8.8	2.8	6.8	6.8	0.0	2.8
PEPPERMINT FLAVOR	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
GLYCERIN	1.4	1.4	1.4	0.0	0.0	0.0	1.4	0.0
LIQUID/FIBERSOL 2 BLEND	10.0	20.0	14.0	30.0	20.0	20.0	22.9	30.0
APM	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

### EXAMPLE 1

Fibersol 2 powder can be added directly to the gum.

### EXAMPLE 2

An 80 gram portion of Fibersol 2 can be dissolved in 120 grams of water at 40°C making a 40% solution and added to gum.

EXAMPLE 3

Fibersol 2 syrup at 70% solids can be added directly to the gum.

EXAMPLE 4

A blend of 80 grams of Fibersol 2 and 120 grams of water is mixed at 40°C. To this is added 100 grams of glycerin to give a mixture of 27% Fibersol 2, 40% water, and 33% glycerin, and added to gum.

EXAMPLE 5

To 140 grams of Fibersol 2 syrup at 70% solids is added 60 grams of glycerin to give a 70% Fibersol 2 syrup with 30% glycerin, and added to gum.

EXAMPLE 6

To 140 grams of Fibersol 2 syrup of 70% solids is added 60 grams of propylene glycol giving a 70% Fibersol 2 syrup with 30% glycerin and added to gum.

EXAMPLE 7

To 140 grams of Fibersol 2 syrup at 70% solids is added 89 grams of corn syrup and blended giving a mixture of 61% Fibersol 2 syrup and 39% corn syrup.

EXAMPLE 8

To a 200 gram quantity of corn syrup is added 100 grams of glycerin. To this mixture is added 75 grams of Fibersol 2 and blended at 50°C. This mixture is added to gum.

In the next examples of sugar gum formulations, indigestible dextrin can be dissolved in water and emulsifiers can be added to the aqueous solution. Example solutions can be prepared by dissolving 15 grams of Fibersol 2 in 70 grams water and adding 15 grams of emulsifiers of various hydrophilic-lipophilic balance (HLB) values to the solution. The mixtures can

- 22 -

then be used in the following formulas. (Note: The solution of Example 9 does not contain any emulsifier.)

TABLE 2

	<u>EX. 9</u>	<u>EX. 10</u>	<u>EX. 11</u>	<u>EX. 12</u>	<u>EX. 13</u>	<u>EX. 14</u>
SUGAR	50.7	50.7	50.7	50.7	50.7	50.7
BASE	19.2	19.2	19.2	19.2	19.2	19.2
CORN SYRUP	12.8	12.8	12.8	12.8	12.8	12.8
GLYCERIN	1.4	1.4	1.4	1.4	1.4	1.4
DEXTROSE MONOHYDRATE	9.9	9.9	9.9	9.9	9.9	9.9
APM	0.1	0.1	0.1	0.1	0.1	0.1
PEPP. FLAVOR	0.9	0.9	0.9	0.9	0.9	0.9
BULK SWEETENER/ EMULSIFIER/WATER MIXTURE	5.0	5.0	5.0	5.0	5.0	5.0
EMULSIFIER	None	HLB=2	HLB=4	HLB=6	HLB=9	HLB=12

EXAMPLES 15-20

The same as the formulations made in Examples 9-14, respectively, except that the flavor can be mixed together with the aqueous bulk sweetener solution before adding the mixture to the gum batch.

The following Tables 3 through 10 are examples of gum formulations that demonstrate formula variations in which indigestible dextrin may be used. Formulas with high levels of indigestible dextrin may also contain aspartame (APM) which is stabilized with indigestible dextrin.

Examples 21-25 in Table 3 demonstrates the use of indigestible dextrin in low moisture sugar formulations having less than 2% theoretical moisture:



- 23 -

TABLE 3

	<u>EX. 21</u>	<u>EX. 22</u>	<u>EX. 23</u>	<u>EX. 24</u>	<u>EX. 25</u>
SUGAR	57.9	53.9	44.9	21.0	0.0
GUM BASE	19.2	19.2	19.2	19.2	19.2
CORN SYRUP <sup>a</sup>	6.0	6.0	6.0	6.0	-
DEXTROSE MONOHYDRATE	10.0	10.0	10.0	10.0	10.0
LACTOSE	0.0	0.0	0.0	5.0	5.0
GLYCERIN <sup>b</sup>	5.0	5.0	8.9	12.7	14.6
FLAVOR	0.9	0.9	0.9	0.9	0.9
FIBERSOL 2	1.0	5.0	10.0	25.0	50.0
APM	-	-	0.1	0.2	0.3

<sup>a</sup>Corn syrup is evaporated to 85% solids, 15% moisture<sup>b</sup>Glycerin and syrup may be blended and co-evaporated

Examples 26-30 in Table 4 demonstrate the use of indigestible dextrin in medium-moisture sugar formulations having about 2% to about 5% moisture.

TABLE 4

	<u>EX. 26</u>	<u>EX. 27</u>	<u>EX. 28</u>	<u>EX. 29</u>	<u>EX. 30</u>
SUGAR	52.5	46.5	39.5	18.0	0.0
GUM BASE	19.2	19.2	19.2	19.2	19.2
CORN SYRUP <sup>a</sup>	15.0	15.0	14.9	18.3	18.2
DEXTROSE MONOHYDRATE	10.0	10.0	10.0	10.0	-
GLYCERIN <sup>b</sup>	1.4	3.4	5.4	8.4	11.4
FLAVOR	0.9	0.9	0.9	0.9	0.9
FIBERSOL 2	1.0	5.0	10.0	25.0	50.0
APM	-	-	0.1	0.2	0.3

<sup>a</sup>Corn syrup is evaporated to 85% solids, 15% moisture<sup>b</sup>Glycerin and syrup may be blended and co-evaporated

Examples 31-35 in Table 5 demonstrate the use of indigestible dextrin in high-moisture sugar formulations having more than about 5% moisture.

- 24 -

TABLE 5

	<u>EX. 31</u>	<u>EX. 32</u>	<u>EX. 33</u>	<u>EX. 34</u>	<u>EX. 35</u>
SUGAR	50.0	44.0	36.0	15.0	0.0
GUM BASE	24.0	24.0	24.0	24.0	24.0
CORN SYRUP	24.0	24.0	23.9	24.4	19.3
GLYCERIN	0.0	2.0	5.0	10.4	5.4
FLAVOR	1.0	1.0	1.0	1.0	1.0
FIBERSOL 2	1.0	5.0	10.0	25.0	50.0
APM	-	-	0.1	0.2	0.3

Examples 36-40 in Table 6 and Examples 41-50 in Tables 7 and 8 demonstrate the use of indigestible dextrin in low- and high-moisture gums that are sugar-free. Low-moisture gums have less than about 2% moisture, and high-moisture gums have greater than 2% moisture.

TABLE 6

	<u>EX. 36</u>	<u>EX. 37</u>	<u>EX. 38</u>	<u>EX. 39</u>	<u>EX. 40</u>
BASE	25.5	25.5	25.5	25.5	25.5
SORBITOL	50.0	46.0	41.0	26.0	0.0
MANNITOL	12.0	12.0	12.0	12.0	8.0
GLYCERIN	10.0	10.0	9.9	9.8	14.7
FLAVOR	1.5	1.5	1.5	1.5	1.5
FIBERSOL 2	1.0	5.0	10.0	25.0	50.0
APM	-	-	0.1	0.2	0.3

- 25 -

TABLE 7

	<u>EX. 41</u>	<u>EX. 42</u>	<u>EX. 43</u>	<u>EX. 44</u>	<u>EX. 45</u>
BASE	25.5	25.5	25.5	25.5	25.5
SORBITOL	50.0	44.0	37.0	20.0	0.0
LIQUID SORBITOL*	10.0	10.0	10.0	10.0	11.0
MANNITOL	10.0	10.0	10.0	10.0	0.0
GLYCERIN	2.0	4.0	5.9	7.8	11.7
FLAVOR	1.5	1.5	1.5	1.5	1.5
FIBERSOL 2	1.0	5.0	10.0	25.0	50.0
APM	-	-	0.1	0.2	0.3

\*Sorbitol liquid contains 70% sorbitol, 30% water

TABLE 8

	<u>EX. 46</u>	<u>EX. 47</u>	<u>EX. 48</u>	<u>EX. 49</u>	<u>EX. 50</u>
BASE	25.5	25.5	25.5	25.5	25.5
SORBITOL	50.0	46.0	39.0	20.0	0.0
HSR SYRUP*	10.0	10.0	10.0	10.0	10.0
MANNITOL	8.0	8.0	7.9	7.8	0.0
GLYCERIN**	4.0	4.0	6.0	10.0	12.7
FLAVOR	1.5	1.5	1.5	1.5	1.5
FIBERSOL 2	1.0	5.0	10.0	25.0	50.0
APM	-	-	0.1	0.2	0.3

\* Hydrogenated starch hydrolyzate syrup

\*\* Glycerin and HSR syrup may be blended or co-evaporated

- 26 -

Table 9 shows sugar chewing formulations that can be made with various other types of sugars.

TABLE 9

	<u>EX. 51</u>	<u>EX. 52</u>	<u>EX. 53</u>	<u>EX. 54</u>	<u>EX. 55</u>	<u>EX. 56</u>
GUM BASE	19.2	19.2	19.2	19.2	19.2	19.2
SUCROSE	44.4	19.2	39.4	14.2	29.4	14.2
GLYCERIN	1.4	6.4	1.4	6.4	1.4	6.4
CORN SYRUP	14.0	14.0	14.0	14.0	14.0	14.0
DEXTROSE	5.0	5.0	-	-	10.0	5.0
LACTOSE	5.0	5.0	10.0	10.0	-	-
FRUCTOSE	5.0	5.0	10.0	10.0	10.0	5.0
INVERT SUGAR	-	-	-	-	10.0	10.0
MALTOSE	-	-	-	-	-	-
CORN SYRUP SOLIDS	-	-	-	-	-	-
PEPPERMINT FLAVOR	0.9	0.9	0.9	0.9	0.9	0.9
FIBERSOL 2	5.0	25.0	5.0	25.0	5.0	25.0
APM	0.1	0.3	0.1	0.3	0.1	0.3
	<u>EX. 57</u>	<u>EX. 58</u>	<u>EX. 59</u>	<u>EX. 60</u>	<u>EX. 61</u>	<u>EX. 62</u>
GUM BASE	19.2	19.2	19.2	19.2	19.2	19.2
SUCROSE	29.4	14.2	29.4	14.2	37.4	17.2
GLYCERIN	1.4	6.4	1.4	6.4	1.4	6.4
CORN SYRUP	14.0	14.0	14.0	14.0	11.0	11.0
DEXTROSE	10.0	5.0	10.0	5.0	10.0	5.0
LACTOSE	-	-	-	-	-	-
FRUCTOSE	10.0	5.0	10.0	5.0	5.0	5.0
INVERT SUGAR	10.0	10.0	-	-	5.0	5.0
MALTOSE	-	-	10.0	10.0	-	-
CORN SYRUP SOLIDS	-	-	-	-	5.0	5.0
PEPPERMINT FLAVOR	0.9	0.9	0.9	0.9	0.9	0.9
FIBERSOL 2	5.0	25.0	5.0	25.0	5.0	25.0
APM	0.1	0.3	0.1	0.3	0.1	0.3

- 27 -

Any of the sugars may be combined with indigestible dextrin and co-dried to form unique combinations such as:

EXAMPLE 63

Dextrose and Fibersol 2 can be dissolved in water in a 2:1 ratio dextrose:Fibersol 2 and co-dried or co-precipitated and used in the formulas in Table 9.

EXAMPLE 64

Fibersol 2 and sucrose can be dissolved in water in a 1:1 ratio and co-dried or co-precipitated and used in the formulas in Table 9.

EXAMPLE 65

Fibersol 2, sucrose and dextrose can be dissolved in water in a 1:1:1 ratio and co-dried or co-precipitated and used in the formulas in Table 9.

EXAMPLE 66

Fibersol 2, sucrose, dextrose and fructose can be dissolved in water at 25% of each ingredient and co-dried, and used in the formulas in Table 9.

EXAMPLE 67

Fibersol 2, dextrose, fructose and lactose can be dissolved in water at 25% of each ingredient and co-dried, and used in the formulas in Table 9.

EXAMPLE 68

Fibersol 2, dextrose, maltose and corn syrup solids can be dissolved in water at 25% of each ingredient and co-dried, and used in the formulas in Table 9.

EXAMPLE 69

Fibersol 2, sucrose, dextrose, maltose and fructose can be dissolved in water at 20% of each ingredient and co-dried, and used in the formulas in Table 9.

Multiple combinations of indigestible dextrin with other sugars can be made in solution to form

liquid concentrates that do not need to be co-dried, such as:

EXAMPLE 70

Fibersol 2, corn syrup and glycerin can be dissolved in water at a ratio of 1:1:1, evaporated to a thick syrup and used in the formulas in Table 9.

EXAMPLE 71

Fibersol 2, dextrose, fructose and invert syrup may be dissolved in water at 25% of each ingredient and evaporated to a thick syrup and used in the formulas in Table 9.

EXAMPLE 72

Fibersol 2, dextrose, maltose and corn syrup solids may be dissolved in water at 25 % of each component and evaporated to a thick syrup and used in the formulas in Table 9.

EXAMPLE 73

Glycerin is added to Example 71 at a ratio of 4:1 syrup to glycerin and evaporated to a thick syrup, and used in the formulas in Table 9.

EXAMPLE 74

Glycerin is added to Example 72 at a ratio of 2:1 syrup to glycerin and evaporated to a thick syrup, and used in the formulas in Table 9.

Table 10 shows chewing gum formulations that are free of sugar. These formulations can use a wide variety of other non-sugar alditols, including Lycasin brand HSH syrup.

- 29 -

TABLE 10

	<u>EX. 75</u>	<u>EX. 76</u>	<u>EX. 77</u>	<u>EX. 78</u>	<u>EX. 79</u>	<u>EX. 80</u>
GUM BASE	25.5	25.5	25.5	25.5	25.5	25.5
GLYCERIN	1.9	5.7	1.9	5.7	4.9	7.7
SORBITOL	44.0	10.0	34.0	5.0	25.0	-
MANNITOL	-	10.0	10.0	10.0	10.0	-
SORBITOL LIQUID	17.0	17.0	-	-	-	-
LYCASIN	-	-	17.0	12.0	8.0	10.0
MALTITOL	-	-	-	10.0	-	-
XYLITOL	-	-	-	-	15.0	15.0
LACTITOL	-	-	-	-	-	-
PALATINIT	-	-	-	-	-	-
FLAVOR	1.5	1.5	1.5	1.5	1.5	1.5
FIBERSOL 2	10.0	30.0	10.0	30.0	10.0	40.0
APM	0.1	0.3	0.1	0.3	0.1	0.3
	<u>EX. 81</u>	<u>EX. 82</u>	<u>EX. 83</u>	<u>EX. 84</u>	<u>EX. 85</u>	<u>EX. 86</u>
GUM BASE	25.5	25.5	25.5	25.5	25.5	25.5
GLYCERIN	7.9	10.7	7.9	9.7	6.7	7.7
SORBITOL	32.0	4.0	22.0	3.0	6.0	-
MANNITOL	8.0	8.0	8.0	-	-	-
SORBITOL LIQUID	5.0	-	-	-	-	-
LYCASIN	-	5.0	5.0	5.0	10.0	10.0
MALTITOL	-	5.0	-	-	-	-
XYLITOL	-	-	-	15.0	-	-
LACTITOL	10.0	10.0	10.0	-	-	-
PALATINIT	-	-	10.0	10.0	25.0	15.0
FLAVOR	1.5	1.5	1.5	1.5	1.5	1.5
FIBERSOL 2	10.0	30.0	10.0	30.0	25.0	40.0
APM	0.1	0.3	0.1	0.3	0.3	0.3

Any of the alditols can be combined with indigestible dextrin and co-dried to form unique combinations, such as:

EXAMPLE 87

Fibersol 2 and sorbitol can be dissolved in water in a ratio of 2:1 sorbitol:Fibersol 2 and co-dried and used in formulas in Table 10.

EXAMPLE 88

Fibersol 2, sorbitol and mannitol can be dissolved in water at a ratio of 1:1:1, co-dried, and used in appropriate formulas in Table 10.

EXAMPLE 89

Fibersol 2, mannitol and xylitol can be dissolved in water at a ratio of 1:1:1, co-dried, and used in appropriate formulas in Table 10.

EXAMPLE 90

Fibersol 2, sorbitol and lactitol can be dissolved in water at a ratio of 1:1:1, co-dried, and used in appropriate formulas in Table 10.

EXAMPLE 91

Fibersol 2, palatinit and sorbitol can be dissolved in water at a ratio of 1:1:1, co-dried, and used in appropriate formulas in Table 10.

EXAMPLE 92

Fibersol 2 and palatinit can be dissolved in water at a ratio of 1:1, co-dried, and used in appropriate formulas in Table 10.

EXAMPLE 93

Fibersol 2, sorbitol, maltitol and xylitol may be blended at 25% of each ingredient and dissolved in water, co-dried, and used in appropriate formulas in Table 10.

Multiple combinations of indigestible dextrin with the various alditols can be made in solution to form liquid concentrates that do not need to be co-dried, such as:



EXAMPLE 94

Fibersol 2, sorbitol, maltitol and Lycasin may be dissolved in water at 25% of each ingredient, evaporated to a thick syrup and used in the appropriate formulas in Table 10.

EXAMPLE 95

Fibersol 2, xylitol, sorbitol and Lycasin can be dissolved in water at 25% of each ingredient, evaporated to a thick syrup, and used in the formulas in Table 10.

EXAMPLE 96

Fibersol 2, sorbitol, lactitol and Lycasin can be dissolved in water at 25% of each ingredient, evaporated to a thick syrup, and used in the formulas in Table 10.

EXAMPLE 97

Fibersol 2, Lycasin and glycerin can be dissolved in water at a ratio of 1:1:1, evaporated to a thick syrup and used in the formulas in Table 10.

EXAMPLE 98

Glycerin is added to Example 94 at a ratio of 4:1 syrup to glycerin, evaporated to a thick syrup, and used in formulas in Table 10.

EXAMPLE 99

Glycerin is added to Example 95 at a ratio of 4:1 syrup to glycerin, evaporated to a thick syrup, and used in the formulas in Table 10.

EXAMPLE 100

Glycerin is added to Example 96 at a ratio of 4:1 syrup to glycerin, evaporated to a thick syrup, and used in formulas in Table 10.

Other high-intensity sweeteners such as acesulfame K, or the salts of acesulfame, cyclamate and its salts, saccharin and its salts, alitame, sucralose, thaumatin, monellin, dihydrochalcone, stevioside, glycyrrhizin, and combinations thereof may be used in

any of the Examples listed in Tables 3, 4, 5, 6, 7, 8 9 and 10. Since indigestible dextrin has less sweetness than some of the sugars used in sugar gum, and some of the alditols in sugar-free gum, a high-intensity sweetener may be needed to obtain the proper level of sweetness.

High-intensity sweeteners may also be modified to control their release in chewing gum formulations containing indigestible dextrin. This can be controlled by various methods of encapsulation, agglomeration, absorption, or a combination of methods to obtain either a fast or slow release of the sweetener. Sweetener combinations, some of which may be synergistic, may also be included in the gum formulations containing indigestible dextrin. Indigestible dextrin may also be used to encapsulate, agglomerate, absorb, or entrap any high intensity sweetener to control its release.

The following examples show the use of high-intensity sweeteners in chewing gum formulations with indigestible dextrin.

EXAMPLE 101

Alitame at a level of 0.03% may be added to any of the formulas in Tables 3 through 10 by replacing 0.03% of the Fibersol 2.

EXAMPLE 102

Sucralose at a level of 0.07% may be added to any of the formulas in Tables 3 through 10 by replacing 0.07% of the Fibersol 2.

EXAMPLE 103

Thaumatococin at a level of 0.02% may be added to any of the formulas in Tables 3 through 10 by replacing 0.02% of the Fibersol 2.

EXAMPLE 104

Glycyrrhizin at a level of 0.4% may be added to any of the formulas in Tables 3 through 10 by replacing 0.4% of the Fibersol 2.

- 33 -

High-intensity sweeteners may also be combined with other high-intensity sweeteners, with or without encapsulation, agglomeration or absorption, and used in chewing gum. Examples are:

EXAMPLE 105

Aspartame and acesulfame K at a 1:1 ratio may be added to any of the formulas in Tables 3 through 10 at a level of 0.15% by replacing 0.15% of the Fibersol 2.

EXAMPLE 106

Aspartame and alitame at a ratio of 9:1 aspartame: alitame may be added to any of the formulas in Tables 3 through 10 at a level of 0.1% by replacing 0.1% of the Fibersol 2.

EXAMPLE 107

Aspartame and thaumatin at a ratio of 9:1 aspartame:thaumatin can be added to any of the formulas in Tables 3 through 10 at a level of 0.1% by replacing 0.1% of the Fibersol 2.

EXAMPLE 108

Sucralose and alitame in a ratio of 3:1 sucralose: alitame can be added to any of the formulas in Tables 3 through 10 at a level of 0.5% by replacing 0.5% of the Fibersol 2.

EXAMPLE 109

Alitame and glycyrrhizin in a ratio of 1:12 alitame:glycyrrhizin can be added to any of the formulas in Tables 3 through 10 at a level of 0.1% by replacing 0.1% of the Fibersol 2.

EXAMPLE 110

Aspartame and glycyrrhizin in a ratio of 1:14 aspartame:glycyrrhizin can be added to any of the formulas in Tables 3 through 10 at a level of 0.3% by replacing 0.3% of the Fibersol 2.

As discussed above, the various types of indigestible dextrin ingredients that are available are Fibersol 1, Fibersol 2, Fibersol G, Dexflow, Pinefiber,

- 34 -

Pineflow and Pinefiber C. All of these materials are considered indigestible dextrans. These materials may be used exclusively in a variety of chewing gum formulations, as in Tables 11 and 12. These formulas with indigestible dextrin and APM will show improved APM stability.

TABLE 11

	<u>EX. 111</u>	<u>EX. 112</u>	<u>EX. 113</u>	<u>EX. 114</u>	<u>EX. 115</u>
GUM BASE	19.2	25.5	25.5	25.5	40.0
GLYCERIN	10.0	10.0	7.0	12.0	7.0
FIBERSOL 2 POWDER	57.8	46.0	41.0	51.0	35.5
FIBERSOL SYRUP*	12.0	17.0	25.0	10.0	15.0
FLAVOR	1.0	1.5	1.5	1.5	2.5

\*Fibersol syrup at 75% solids may be preblended with glycerin and co-evaporated to reduce moisture.

TABLE 12

	<u>EX. 116</u>	<u>EX. 117</u>	<u>EX. 118</u>	<u>EX. 119</u>	<u>EX. 120</u>	<u>EX. 121</u>
GUM BASE	25.5	25.5	25.5	25.5	50.0	70.0
GLYCERIN	10.0	12.0	7.0	15.0	7.0	4.0
FIBERSOL 2 POWDER	51.0	61.0	46.0	48.0	35.5	20.0
FIBERSOL SYRUP*	12.0	-	20.0	10.0	5.0	3.0
FLAVOR	1.5	1.5	1.5	1.5	2.5	3.0

\*Fibersol syrup at 75% solids may be preblended with glycerin and co-evaporated to reduce moisture.

The formulation in Table 11 and 12 do not contain other sugars or alditols. These formulations will give unique texture and flavor attributes. These formulations may also contain other high-intensity, artificial sweeteners, from about 0.02% to about 0.1% for sweeteners like alitame, thaumatin, and dihydrochalcone, and from about 0.1% to about 0.3% for sweeteners like sucralose, acesulfame, and saccharin.

The formulations in Tables 11 and 12 without the other types of sugars and alditols will also have good non-cariogenic properties.

EXAMPLES 122-125

The following gum formulations were made:

	<u>EX. 122</u>	<u>EX. 123</u>	<u>EX. 124</u>	<u>EX. 125</u>
BASE	27.0	27.0	27.0	27.0
SORBITOL	40.2	38.7	32.5	20.9
MANNITOL	12.0	11.5	9.7	6.3
GLYCERIN	8.1	8.1	8.1	8.1
SORBITOL LIQUID	11.0	11.0	11.0	11.0
PEPPERMINT FLAVOR	1.3	1.3	1.3	1.3
COLOR	0.1	0.1	0.1	0.1
APM	0.3	0.3	0.3	0.3
FIBERSOL 2	0	2.0	10.0	25.0

These formulas were made in a conventional lab mixer in a conventional manner on a lab scale and formed into square pellets. Samples of each formula were placed in six sealed pouches and stored at 85°F for 0, 1, 2, 4, 6 and 8 weeks. Samples were then removed and analyzed for APM to determine degradation. The test results are shown in Figure 1. As shown, after eight weeks of storage at 85°F, at levels of 10% or greater, there was a significant increase in the stability of APM. Even at 2% indigestible dextrin (Example 123), there was almost a 10% increase in the amount of APM remaining after eight weeks of storage compared to the sample with no indigestible dextrin (Example 122).

EXAMPLES 126-133

The following gum formulations were made:

	<u>EX.126</u>	<u>EX.127</u>	<u>EX.128</u>	<u>EX.129</u>	<u>EX. 130</u>	<u>EX. 131</u>	<u>EX.132</u>	<u>EX. 133</u>
BASE	24.7	24.7	24.7	24.7	24.7	24.7	24.7	24.7
SORBITOL	50.0	50.0	45.0	35.0	10.0	35.0	10.0	35.0
MANNITOL	9.4	7.0	9.4	9.4	9.4	7.0	7.0	9.0
GLYCERIN	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
LECITHIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
PEPPERMINT FLAVOR	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
APM	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
LYCASIN	-	14.4	-	-	-	14.4	14.4	-
LIQUID SORBITOL	12.0	-	12.0	12.0	12.0	-	-	-
FIBERSOL 2	-	-	5.0	15.0	40.0	15.0	40.0	15.0
FIBERSOL SYRUP (78% solids)	-	-	-	-	-	-	-	12.4

These formulas were made in a conventional lab mixer in a conventional manner and formed into square pellets. Samples of each formula were placed in four sealed pouches and stored at 85°F for 0, 1, 2, 4, 6 and 8 weeks. Samples were then removed and analyzed for APM to determine degradation. Results are shown in Figures 2 and 3 for gum made with sorbitol liquid and Lycasin brand syrup, respectively. Results show that in both types of formulations, Fibersol 2 improves APM stability significantly as compared to when an indigestible dextrin is not used. As seen in both Figures 2 and 3, after eight weeks of storage at 85°F, there was more than a 10% increase in the undecomposed aspartame in the gum formulas that included indigestible dextrin. Also, Examples 130, 131 and 132 produced a gum composition in which the indigestible dextrin was effective such that after eight weeks of storage, over 80% of the unencapsulated aspartame originally formulated in the gum compositions remained undecomposed.

- 37 -

EXAMPLE 134

The following sugar gum center formulation was made:

	<u>%</u>
Base	24.8
Sugar	52.0
Corn Syrup	22.4
Peppermint Flavor	<u>0.8</u>
	100.0

This formulation was made in a 25 gallon standard gum mixer and sheeted as rectangular pellets for coating tests.

Two sugar solutions were prepared for use in coating tests. They are:

A) 750 grams sugar	B) 650 grams sugar
250 grams water	350 grams water
30 grams Fibersol 2	

In a 12 inch lab size coating pan, 1,000 grams of the above centers were coated with Solution A up to a level of 20% coating, then coating continued with Solution B until a 33% coating was achieved. As coating progressed, ten pieces were weighed to determine the coating weight increase to 20%, then 33%. During the coating process, Solution A was less tacky than other types of coatings which contain gum arabic, malto-dextrins or modified starches, but it is anticipated that Fibersol 2 will give good shelf life protection.

The final coated product had a hard, crunchy shell that was slightly tan due to the brown color of Fibersol 2. The flavor had a creamy character, comparable to typical sugar coated pellet gum.

- 38 -

EXAMPLES 135-142

The following low moisture gum formulations were made with various levels of indigestible dextrin:

	<u>Ex 135</u>	<u>Ex 136</u>	<u>Ex 137</u>	<u>Ex 138</u>
BASE	24.7	24.7	24.7	24.7
SORBITOL	48.9	44.6	31.8	6.0
MANNITOL	8.1	7.4	5.2	1.0
GLYCERIN	16.4	16.4	16.4	16.4
LECITHIN	0.2	0.2	0.2	0.2
PEPPERMINT FLAVOR	1.4	1.4	1.4	1.4
APM	0.25	0.25	0.25	0.25
COLOR	0.05	0.05	0.05	0.05
FIBERSOL 2	--	5.0	20.0	50.0

The following high moisture gum formulations were made with various levels of indigestible dextrans:

	<u>Ex 139</u>	<u>Ex 140</u>	<u>Ex 141</u>	<u>Ex 142</u>
BASE	27.0	27.0	27.0	27.0
SORBITOL	40.5	36.6	25.1	1.9
MANNITOL	12.0	10.9	7.4	0.6
GLYCERIN	8.1	8.1	8.1	8.1
LIQUID SORBITOL	11.0	11.0	11.0	11.0
PEPPERMINT FLAVOR	1.3	1.3	1.3	1.3
COLOR	0.1	0.1	0.1	0.1
FIBERSOL 2	-	5.0	20.0	50.0

All of the above examples 135-142 were sheeted as stick gum for testing purposes. Sticks were then stored in environmental conditions of 74°F and 30% RH and removed after 0, 3, 7, 14, and 28 days. At these time intervals, sticks were measured for their Taber stiffness and flexibility. Example 142 at each of days 0, 3, 7, 14 and 28, and Example 138 at 28 days,



were too soft to obtain measurable Taber stiffness and flexibility data.

The Taber stiffness value is a measure of the chewing gum's resistance to bending. The higher the Taber stiffness value, the greater the chewing gums toughness. The Taber stiffness values shown in Figures 4 and 6 were measured by the Taber V-5 Stiffness Tester, Model 150B, available from Taber Instrument Corp., North Tonawanda, New York. The flexibility data shown in Figures 5 and 7 were measured by counting the number of times the gum may bend back and forth before breaking.

For low moisture gum, results in Figure 4 indicate that the addition of as low as 5% indigestible dextrin improves softness of sugarless gum and keeps it soft in an accelerated shelf life test. Sensory tests also show that levels as low as 5% indigestible dextrin give gum more cohesion, which improves handling properties during sheeting and wrapping. Figure 5 demonstrates that all the samples remain flexible in the accelerated shelf life test.

For high moisture gum, results in Figures 6 and 7 indicate gum with as low as 5% indigestible dextrin softens the gum initially and keeps it soft throughout the accelerated shelf life tests. Flexibility of the gum also remains high, even with low usage levels of indigestible dextrin.

#### EXAMPLES 143-144

Fibersol 2 was used to prepare a 78% solids syrup solution by mixing 2994 grams of Fibersol 2 with 844 grams of near boiling water using a mechanical

- 40 -

stirrer. This syrup was used to prepare the following two gum formulations:

	<u>Ex 143</u>	<u>Ex 144</u>
BASE	24.4	24.4
FIBERSOL 2 SYRUP	25.0	25.0
FIBERSOL 2 POWDER	46.7	41.7
GLYCERIN	2.0	7.0
LECITHIN	0.15	0.15
APM	0.2	0.2
10% SALT SOLUTION	0.05	0.05
PEPPERMINT FLAVOR	1.5	1.5

#### EXAMPLES 145-152

Eight gums were made that contained indigestible dextrin, in various forms, as the only bulking agent, according to the following formulations:

	<u>EX. 145</u>	<u>EX. 146</u>	<u>EX. 147</u>	<u>EX. 148</u>	<u>EX. 149</u>	<u>EX. 150</u>	<u>EX. 151</u>	<u>EX. 152</u>
BASE	26.4	26.4	26.4	26.4	26.4	27.0	27.0	24.6
FIBERSOL G	54.3	49.3	39.3	-	35.9	60.7	58.7	-
FIBERSOL 2 POWDER	-	-	-	33.4	-	-	-	56.2
FIBERSOL 2 SYRUP	15.0	20.0	30.0	29.8	27.3	-	-	-
GLYCERIN	2.0	2.0	2.0	8.1	8.1	10.0	12.0	17.0
APM	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
SPEARMINT FLAVOR	1.7	1.7	1.7	1.7	1.7	1.7	1.7	-
COLOR	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-
PEPPERMINT FLAVOR	-	-	-	-	-	-	-	1.5
LECITHIN	-	-	-	-	-	-	-	0.2

#### EXAMPLES 153-167 (Tables 13-15)

These examples demonstrate how Fibersol G may be used in a variety of chewing gum formulations at various levels. Table 13 shows a low moisture sugar-

- 41 -

free gum. Table 14 shows a higher moisture sugarless gum. Table 15 shows a more typical gum formula with HSH syrup.

TABLE 13

	<u>EX. 153</u>	<u>EX. 154</u>	<u>EX. 155</u>	<u>EX. 156</u>	<u>EX. 157</u>
BASE	25.5	25.5	25.5	25.5	25.5
SORBITOL	50.0	46.0	41.0	26.0	0.0
MANNITOL	12.0	12.0	12.0	12.0	12.0
GLYCERIN	10.0	10.0	10.0	10.0	11.0
FLAVOR	1.5	1.5	1.5	1.5	1.5
FIBERSOL G	1.0	5.0	10.0	25.0	50.0

TABLE 14

	<u>EX. 158</u>	<u>EX. 159</u>	<u>EX. 160</u>	<u>EX. 161</u>	<u>EX. 162</u>
BASE	25.5	25.5	25.5	25.5	25.5
SORBITOL	50.0	46.0	41.0	26.0	0.0
LIQUID SORBITOL*	10.0	10.0	10.0	10.0	11.0
MANNITOL	10.0	10.0	10.0	10.0	10.0
GLYCERIN	2.0	2.0	2.0	2.0	2.0
FLAVOR	1.5	1.5	1.5	1.5	1.5
FIBERSOL G	1.0	5.0	10.0	25.0	50.0

\*Sorbitol liquid contains 70% sorbitol, 30% water

TABLE 15

	<u>EX. 163</u>	<u>EX. 164</u>	<u>EX. 165</u>	<u>EX. 166</u>	<u>EX. 167</u>
BASE	25.5	25.5	25.5	25.5	25.5
SORBITOL	50.0	46.0	41.0	26.0	0.0
HSH SYRUP*	10.0	10.0	10.0	10.0	10.0
MANNITOL	8.0	8.0	8.0	8.0	9.0
GLYCERIN**	4.0	4.0	4.0	4.0	4.0
FLAVOR	1.5	1.5	1.5	1.5	1.5
FIBERSOL G	1.0	5.0	10.0	25.0	50.0

\* Lycasin brand hydrogenated starch hydrolysate syrup

\*\* Glycerin and HSH syrup may be blended or co-evaporated

#### EXAMPLES 167-178 (Table 16)

These examples show how Fibersol G may be used with polyols in various sugar-free gum formulations.

- 42 -

TABLE 16

	<u>EX. 167</u>	<u>EX. 168</u>	<u>EX. 169</u>	<u>EX. 170</u>	<u>EX. 171</u>	<u>EX. 172</u>
BASE	25.5	25.5	25.5	25.5	25.5	25.5
GLYCERIN	2.0	2.0	2.0	2.0	2.0	2.0
SORBITOL	44.0	34.0	34.0	29.0	28.0	-
MANNITOL	-	10.0	10.0	10.0	10.0	6.0
SORBITOL LIQUID	17.0	17.0	-	-	-	-
LYCASIN HSH SYRUP	-	-	17.0	12.0	8.0	10.0
MALTITOL	-	-	-	10.0	-	-
XYLITOL	-	-	-	-	15.0	15.0
LACTITOL	-	-	-	-	-	-
PALATINIT	-	-	-	-	-	-
FLAVOR	1.5	1.5	1.5	1.5	1.5	1.5
FIBERSOL G	10.0	10.0	10.0	10.0	10.0	40.0

	<u>EX. 173</u>	<u>EX. 174</u>	<u>EX. 175</u>	<u>EX. 176</u>	<u>EX. 177</u>	<u>EX. 178</u>
BASE	25.5	25.5	25.5	25.5	25.5	25.5
GLYCERIN	8.0	8.0	8.0	2.0	3.0	2.0
SORBITOL	32.0	27.0	22.0	31.0	10.0	-
MANNITOL	8.0	8.0	8.0	-	-	-
SORBITOL LIQUID	5.0	-	-	-	-	-
LYCASIN HSH SYRUP	-	5.0	5.0	5.0	10.0	10.0
MALTITOL	-	5.0	-	-	-	-
XYLITOL	-	-	-	15.0	-	-
LACTITOL	10.0	10.0	10.0	-	-	-
PALATINIT	-	-	10.0	10.0	25.0	21.0
FLAVOR	1.5	1.5	1.5	1.5	1.5	1.5
FIBERSOL G	10.0	10.0	10.0	10.0	25.0	40.0

EXAMPLES 179-189 (Table 17 and 18)

These examples show how Fibersol G powder and a 75% solids Fibersol G syrup can be used together to obtain non-cariogenic, low calorie gum formulations that do not contain any other carbohydrates and polyols.

TABLE 17

	<u>EX. 179</u>	<u>EX. 180</u>	<u>EX. 181</u>	<u>EX. 182</u>	<u>EX. 183</u>
GUM BASE	19.2	25.5	25.5	25.5	40.0
GLYCERIN	2.0	2.0	7.0	7.0	2.0
FIBERSOL G POWDER	57.8	46.0	41.0	51.0	35.5
FIBERSOL G SYRUP*	20.0	25.0	25.0	15.0	20.0
FLAVOR	1.0	1.5	1.5	1.5	2.5

\* Fibersol syrup at 75% solids may also be preblended with glycerin and co-evaporated to reduce moisture.

TABLE 18

	<u>EX. 184</u>	<u>EX. 185</u>	<u>EX. 186</u>	<u>EX. 187</u>	<u>EX. 188</u>	<u>EX. 189</u>
GUM BASE	25.5	25.5	25.5	25.5	50.0	70.0
GLYCERIN	2.0	2.0	7.0	15.0	2.0	1.0
FIBERSOL G POWDER	51.0	61.0	46.0	48.0	35.5	20.0
FIBERSOL G SYRUP*	20.0	10.0	20.0	10.0	10.0	6.0
FLAVOR	1.5	1.5	1.5	1.5	2.5	3.0

\* Fibersol syrup at 75% solids may also be preblended with glycerin and co-evaporated to reduce moisture.

The formulations in all the above tables may also contain high intensity artificial sweeteners from about 0.02% to about 0.1% for sweeteners like alitame, thaumatin, and dihydrochalcone, and from about 0.1% to about 0.4% for sweeteners like aspartame, sucralose, acesulfame and saccharin.

EXAMPLES 190 to 192

Fibersol G may be used in a sugarless, non-cariogenic hard candy either in a powder form or a syrup form as shown in the following formulas.

Example 190 (fruit flavored hard candy)

	<u>%</u>
Xylitol Gum	15.8
Fibersol G powder	34.8
Fibersol G syrup (75% solids)	38.0
Water	11.0
Citric Acid	0.3
Artificial sweetener/ fruit flavor/color	as needed

Example 191 (butterscotch hard candy)

	<u>%</u>
Fibersol G powder	53.6
Sorbitol	26.4
Water	17.66
Butter	2.06
Salt	0.12
Natural and artificial flavor	0.16

Example 192 (hard candy)

	<u>%</u>
Fibersol G powder	80.0
Maltitol syrup (75% solids)	10.0
Xylitol	9.35
Aspartame	0.35
Salt	0.12
Citric acid/flavor/color	as needed

Procedure: Hard candies are made by the following procedure:

- 1) In a stainless steel, steam jacketed kettle, mix Fibersol G powder, syrup, xylitol, water, sorbitol, salt and heat to form a thick syrup.
- 2) Continue to cook and mix until a temperature of about 300°F and a moisture level of about 1-2% is obtained.
- 3) Pour heavy syrup onto stainless steel cooling table.

- 45 -

- 4) Add citric acid, artificial ingredients, flavors and color, butter, and mix by kneading.
- 5) Allow to cool to room temperature and cut as needed.

Example 193 (candy compressed tablet-breath mints)

Fibersol may be used in a sugarless pressed tablet with the following formula and procedure:

	<u>%</u>
Sorbitol	49.9
Fibersol G powder	48.9
Aspartame	0.1
Magnesium stearate	1.0
Peppermint flavor	0.1

## Procedure:

- 1) Weigh ingredients into suitable containers.
- 2) Place sorbitol and Fibersol G powder in a mixer bowl and add flavor and sweetener.
- 3) Mix for 3 minutes.
- 4) Add magnesium stearate and mix three minutes.
- 5) Start tableting and adjust size, weight, and hardness.

Example 194 (sugarless taffy)

Fibersol G may be used to prepare a sugar-free taffy by the following formula and procedure:

Formula:

	<u>% As Is</u>	<u>% DSB</u>	<u>20# (9.072Kg) Batch</u>
Fibersol G syrup	94.5	92.7	18.9 (8.573 Kg)
110°F M.P. vege-			
table oil	5.25	7.0	1.05 (0.476 Kg)
Lecithin	0.25	0.3	0.3 (0.136 Kg)
Flavor/color/acid/ sweetener	As needed		

- 46 -

## Procedure:

1. Weigh Fibersol G syrup into an atmospheric cooker, such as a Savage open fire cooker, and cook to about 255°F (123.9°C). No agitation is required for this step.
2. Let cooked Fibersol G syrup cool to about 230°F and add fat and lecithin; fat does not have to be premelted. Mix until uniform.
3. Pour mass on oiled cooling table. Side bars may be necessary for initial cooling if table is small.
4. Work in color, flavor and acid on the slab before pulling (color and flavor may also be added on puller). Cool to plastic texture.
5. Pull cooked mass until desired texture is attained. Cut and wrap in moisture resistant packaging.

Example 195 (sugar-free caramel)

Fibersol G may be used to prepare a sugar-free caramel by the following formula and procedure:

Fibersol G syrup	
(75% solids)	58.53%
Evaporated milk	33.24
Coconut oil, 92°F (33°C)	7.68
Lecithin	0.20
Salt	0.20
Aspartame	0.11
Vanillin	0.04
Total	100.00%

## Procedure:

1. Prepare aspartame slurry by mixing 1/3 ratio of aspartame to coconut oil in a high shear blender for about 30 seconds.
2. Premix all ingredients, except aspartame slurry, half of the evaporated milk and the



- 47 -

vanillin, for 5 minutes at about 120°F (48.9°C).

3. Bring premix to a boil and slowly add the balance of the evaporated milk, maintaining the boil.
4. Cook to the desired texture. Final cook temperature will vary according to the cooking process. A suggested final cook temperature is about 245°F (118.3°C).
5. Cool the caramel to about 220°F (104°C) and add the aspartame slurry slowly with mixing. Methyl vanillin should also be added at this time.
6. Slab, cut and wrap as desired.

Example 196 (sugarless gum drops)

	%
Gelatin 200 bloom type B	7.0
Crystalline sorbitol	34.9
Fibersol G syrup (75% solids)	32.6
Hot Water (80-90°C)	14.0
Water	10.0
Citric acid solution	1.5
Fruit flavor/color	as needed

Procedure:

- 1) Dissolve gelatin directly in hot water.
  - 2) Cook the Fibersol G syrup, sorbitol and water at 115°C, and add gelatin solution.
  - 3) Stir slowly in order to obtain a smooth homogenous mixture.
  - 4) Remove air bubbles with deaeration equipment or other available means.
  - 5) Add citric acid solution, flavor and color.
  - 6) Deposit in cool and dry starch, and sprinkle a little starch onto the articles.
- Temperature: 70°C. Total solids when depositing: 78°C Brix.

- 48 -

- 7) Store the starch tray at room temperature for 24 hours.
- 8) After removal from the molding starch, oil the articles or sand with mannitol.

Other food items in which Fibersol G may be used as a non-cariogenic bulking agent are:

- 1) Confections and frostings.
- 2) Dressings for salads.
- 3) Frozen dairy deserts and mixes.
- 4) Gelatins, puddings and fillings.
- 5) Hard candy.
- 6) Soft candy.
- 7) Baked goods and baking mixes.

It should be appreciated that the compositions and methods of the present invention are capable of being incorporated in the form of a variety of embodiments, only a few of which have been illustrated and described above. The invention may be embodied in other forms without departing from its spirit or essential characteristics. The described embodiments are to be considered in all respects only as illustrative and not restrictive, and the scope of the invention, therefore, indicated by the appended claims rather than by the foregoing description. All changes which come within the meaning and range of equivalency of the claims are to be embraced within their scope.

- 49 -

## WE CLAIM:

1. A chewing gum composition comprising sweetness imparting amounts of unencapsulated aspartame and an effective amount of indigestible dextrin to stabilize said aspartame against decomposition during storage at 85°F for eight weeks whereby at least 10% more aspartame remains undecomposed into non-sweetening derivatives than would have remained undecomposed if the indigestible dextrin were not included in the gum composition.

2. The chewing gum composition of Claim 1 wherein the gum composition comprises at least 10% indigestible dextrin.

3. The chewing gum composition of Claim 1 wherein the gum composition comprises about 0.005% to about 1% unencapsulated aspartame.

4. The chewing gum composition of Claim 1 wherein the indigestible dextrin is effective such that after eight weeks of storage at 85°F, over 80% of the unencapsulated aspartame originally formulated in the gum composition remains undecomposed.

5. A chewing gum composition comprising a high-intensity sweetener encapsulated with indigestible dextrin.

6. The chewing gum composition of any of Claims 1-5 wherein the indigestible dextrin is in the form selected from the group consisting of Fibersol 1, Fibersol 2, Fibersol G, Dexflow, Pinefiber, Pinefiber C, Pineflow and mixtures thereof.

- 50 -

7. A chewing gum product having a rolling compound thereon, the rolling compound comprising indigestible dextrin.

8. The chewing gum product of Claim 7 wherein the indigestible dextrin comprises from about 0.5% to 100% of the rolling compound.

9. The chewing gum product of Claim 7 wherein the indigestible dextrin comprises from about 0.005% to about 5% of the chewing gum product.

10. A coated chewing gum product comprising a gum pellet coated with a coating comprising indigestible dextrin.

11. The coated chewing gum product of Claim 10 wherein the indigestible dextrin comprises about 0.1% to about 20% of the coating.

12. The coated chewing gum product of Claim 10 wherein the coating comprises a hard shell coating.

13. A chewing gum product having a liquid center wherein the liquid center comprises indigestible dextrin.

14. The chewing gum product of any of Claims 7-13 wherein the indigestible dextrin is in the form selected from the group consisting of Fibersol 1, Fibersol 2, Fibersol G, Dexflow, Pinefiber, Pinefiber C, Pineflow and mixtures thereof.

15. A method of making a coated chewing gum product comprising the steps of:

a) providing a gum pellet;

- 51 -

- b) applying a liquid coating syrup to the surface of the gum pellet, the coating syrup comprising indigestible dextrin, and
- c) solidifying the coating syrup.

16. The method of Claim 15 wherein the coating syrup comprises a solution and the step of solidifying the coating comprises drying the solution.

17. The method of Claim 15 wherein the coating syrup is applied in successive layers, with each layer of syrup being dried before application of an additional layer.

18. The method of Claim 17 wherein a powdered coating is applied after one or more of the syrup layers is applied.

19. The method of Claim 18 wherein the powdered coating comprises indigestible dextrin, maltodextrin, gelatin, cellulose derivative, starch, modified starch, vegetable gum, filler or mixtures thereof.

20. A method of making chewing gum comprising the steps of:

- a) co-drying a solution containing indigestible dextrin and another sweetener selected from the group consisting of sugar sweeteners, alditol sweeteners and high-potency sweeteners, and
- b) mixing the co-dried, indigestible dextrin sweetener with gum base and flavoring agents to produce a gum composition.

21. A method of making chewing gum comprising the steps of:

- 52 -

- a) co-evaporating an aqueous solution comprising indigestible dextrin and a plasticizing agent to form a syrup, and
- b) mixing the syrup with gum base, bulking agents and flavoring agents to produce a gum composition.

22. The method of any of Claims 15-21 wherein the indigestible dextrin is in the form selected from the group consisting of Fibersol 1, Fibersol 2, Fibersol G, Dexflow, Pinefiber, Pinefiber C, Pineflow and mixtures thereof.

23. A chewing gum composition comprising:
- a) about 5% to about 95% gum base;
  - b) about 1% to about 95% bulking agent comprising at least in part indigestible dextrin that is essentially free of fermentable components; and
  - c) about 0.1% to about 10% flavor.

24. The chewing gum composition of Claim 23 wherein the composition is non-cariogenic.

25. The chewing gum composition of Claim 23 wherein the indigestible dextrin has a human plaque acidity test pH response of 5.7 or greater.

26. The chewing gum composition of Claim 23 comprising about 10% to about 50% of said gum base, about 5% to about 50% of said indigestible dextrin and about 5% to about 50% of a polyol selected from the group consisting of sorbitol, mannitol, xylitol, maltitol, palatinit, hydrogenated starch hydrolysates, lactitol and mixtures thereof.

27. The chewing gum composition of Claim 23 wherein the gum composition is free of polyols.

28. The chewing gum composition of Claim 23 wherein the bulking agent is essentially free of fermentable components and components that can be broken down into fermentable components by enzymes present in the oral cavity.

29. The chewing gum composition of Claim 23 wherein the indigestible dextrin is in the form of an aqueous syrup.

30. A method of making a chewing gum composition comprising the steps of:

- a) providing about 5% to about 95% of a gum base;
- b) providing about 1% to about 95% of a bulking agent comprising at least in part indigestible dextrin that is substantially free of fermentable components;
- c) providing about 0.1% to about 10% flavor; and
- d) mixing the gum base, bulking agent and flavor to make a chewing gum composition.

31. The method of Claim 30 wherein the composition is non-cariogenic.

32. The method of Claim 30 wherein the indigestible dextrin has a human plaque acidity test pH response of 5.7 or greater.

33. The method of Claim 30 wherein the gum base comprises about 10% to about 50% of the gum composition and the bulking agent comprises about 5% to about 50% of said indigestible dextrin and about 5% to about 50% of a polyol selected from the group consisting of sorbitol, mannitol, xylitol, maltitol, palatinit,

- 54 -

hydrogenated starch hydrolysates, lactitol and mixtures thereof.

34. The method of Claim 30 wherein the gum composition is free of polyols.

35. The method of Claim 30 wherein the bulking agent is essentially free of fermentable components and components that can be broken down into fermentable components by enzymes present in the oral cavity.

36. The method of Claim 30 wherein the indigestible dextrin is in the form of an aqueous syrup.

37. The method of Claim 30 wherein the indigestible dextrin is provided in a syrup premixed with a plasticizing agent selected from the group consisting of glycerin, propylene glycol and mixtures thereof.

38. A comestible comprising indigestible dextrin that is essentially free of fermentable components.

39. The comestible of Claim 38 wherein the comestible is a confectionery.

40. The comestible of Claim 38 wherein the comestible is non-cariogenic.

41. The comestible of Claim 38 wherein the indigestible dextrin has a human plaque acidity test pH response of 5.7 or greater.

42. The comestible of Claim 38 wherein the comestible comprises a hard candy.



## AMENDED CLAIMS

[received by the International Bureau on 9 March 1993 (09.03.93);  
original claims 1-42 replaced by amended claims 1-48 (7 pages)]

1. A chewing gum composition comprising sweetness imparting amounts of unencapsulated aspartame and an effective amount of indigestible dextrin to stabilize said aspartame against decomposition during storage at 85°F for eight weeks whereby at least 10% less aspartame decomposes into non-sweetening derivatives than would have decomposed if the indigestible dextrin were not included in the gum composition.

2. The chewing gum composition of Claim 1 wherein the gum composition comprises at least 10% indigestible dextrin.

3. The chewing gum composition of Claim 1 wherein the gum composition comprises about 0.005% to about 1% unencapsulated aspartame.

4. The chewing gum composition of Claim 1 wherein the indigestible dextrin is effective such that after eight weeks of storage at 85°F, over 80% of the unencapsulated aspartame originally formulated in the gum composition remains undecomposed.

5. The chewing gum composition of claim 1 wherein the indigestible dextrin is in the form of an aqueous syrup.

6. A chewing gum composition comprising a high-intensity sweetener encapsulated with indigestible dextrin.

7. A chewing gum composition comprising a flavor encapsulated with indigestible dextrin.

8. The chewing gum composition of any of Claims 1-7 wherein the indigestible dextrin is in the form selected from the group consisting of Fibersol 1, Fibersol 2, Fibersol G, Dexflow, Pinefiber, Pinefiber C, Pineflow and mixtures thereof.
9. A chewing gum product having a rolling compound thereon, the rolling compound comprising indigestible dextrin.
10. The chewing gum product of Claim 9 wherein the indigestible dextrin comprises from about 0.5% to 100% of the rolling compound.
11. The chewing gum product of Claim 9 wherein the indigestible dextrin comprises from about 0.005% to about 5% of the chewing gum product.
12. A coated chewing gum product comprising a gum pellet coated with a coating comprising indigestible dextrin.
13. The coated chewing gum product of Claim 12 wherein the indigestible dextrin comprises about 0.1% to about 20% of the coating.
14. The coated chewing gum product of Claim 12 wherein the coating comprises a hard shell coating.
15. A chewing gum product having a liquid center wherein the liquid center comprises indigestible dextrin.
16. The chewing gum product of any of Claims 9-15 wherein the indigestible dextrin is in the form selected from the group consisting of Fibersol 1,

Fibersol 2, Fibersol G, Dexflow, Pinefiber, Pinefiber C, Pineflow and mixtures thereof.

17. A method of making a coated chewing gum product comprising the steps of:

- a) providing a gum pellet;
- b) applying a liquid coating syrup to the surface of the gum pellet, the coating syrup comprising indigestible dextrin, and
- c) solidifying the coating syrup.

18. The method of Claim 17 wherein the coating syrup comprises a solution and the step of solidifying the coating comprises drying the solution.

19. The method of Claim 17 wherein the coating syrup is applied in successive layers, with each layer of syrup being dried before application of an additional layer.

20. The method of Claim 19 wherein a powdered coating is applied after one or more of the syrup layers is applied.

21. The method of Claim 20 wherein the powdered coating comprises indigestible dextrin, maltodextrin, gelatin, cellulose derivative, starch, modified starch, vegetable gum, filler or mixtures thereof.

22. The method of claim 17 wherein the product is non-cariogenic.

23. The method of claim 17 wherein the product is free of polyols.

24. A method of making chewing gum comprising the steps of:

a) co-drying a solution containing indigestible dextrin and another sweetener selected from the group consisting of sugar sweeteners, alditol sweeteners and high-potency sweeteners, and

b) mixing the co-dried, indigestible dextrin sweetener with gum base and flavoring agents to produce a gum composition.

25. A method of making chewing gum comprising the steps of:

a) co-evaporating an aqueous solution comprising indigestible dextrin and a plasticizing agent to form a syrup, and

b) mixing the syrup with gum base, bulking agents and flavoring agents to produce a gum composition.

26. The method of claim 25 wherein the plasticizing agent is selected from the group consisting of glycerin, propylene glycol and mixtures thereof.

27. The method of any of Claims 17-26 wherein the indigestible dextrin is in the form selected from the group consisting of Fibersol 1, Fibersol 2, Fibersol G, Dexflow, Pinefiber, Pinefiber C, Pineflow and mixtures thereof.

28. A chewing gum composition comprising:

a) about 5% to about 95% gum base;

b) about 1% to about 95% bulking agent comprising at least in part indigestible dextrin that is essentially free of fermentable components; and

c) about 0.1% to about 10% flavor.

29. The chewing gum composition of Claim 28 wherein the composition is non-cariogenic.

30. The chewing gum composition of Claim 28 wherein the indigestible dextrin has a human plaque acidity test pH response of 5.7 or greater.

31. The chewing gum composition of Claim 28 comprising about 10% to about 50% of said gum base, about 5% to about 50% of said indigestible dextrin and about 5% to about 50% of a polyol selected from the group consisting of sorbitol, mannitol, xylitol, maltitol, palatinit, hydrogenated starch hydrolysates, lactitol and mixtures thereof.

32. The chewing gum composition of Claim 28 wherein the gum composition is free of polyols.

33. The chewing gum composition of Claim 28 wherein the bulking agent is essentially free of fermentable components and components that can be broken down into fermentable components by enzymes present in the oral cavity.

34. The chewing gum composition of Claim 28 wherein the indigestible dextrin is in the form of an aqueous syrup.

35. A method of making a chewing gum composition comprising the steps of:

- a) providing about 5% to about 95% of a gum base;
- b) providing about 1% to about 95% of a bulking agent comprising at least in part indigestible dextrin that is substantially free of fermentable components;
- c) providing about 0.1% to about 10% flavor; and
- d) mixing the gum base, bulking agent and flavor to make a chewing gum composition.

36. The method of Claim 35 wherein the composition is non-cariogenic.

37. The method of Claim 35 wherein the indigestible dextrin has a human plaque acidity test pH response of 5.7 or greater.

38. The method of Claim 35 wherein the gum base comprises about 10% to about 50% of the gum composition and the bulking agent comprises about 5% to about 50% of said indigestible dextrin and about 5% to about 50% of a polyol selected from the group consisting of sorbitol, mannitol, xylitol, maltitol, palatinit, hydrogenated starch hydrolysates, lactitol and mixtures thereof.

39. The method of Claim 35 wherein the gum composition is free of polyols.

40. The method of Claim 35 wherein the bulking agent is essentially free of fermentable components and components that can be broken down into fermentable components by enzymes present in the oral cavity.

41. The method of Claim 35 wherein the indigestible dextrin is in the form of an aqueous syrup.

42. The method of Claim 35 wherein the indigestible dextrin is provided in a syrup premixed with a plasticizing agent selected from the group consisting of glycerin, propylene glycol and mixtures thereof.

43. A comestible comprising indigestible dextrin that is essentially free of fermentable components.

44. The comestible of Claim 43 wherein the comestible is a confectionery.

45. The comestible of Claim 43 wherein the comestible is non-cariogenic.

46. The comestible of Claim 43 wherein the indigestible dextrin has a human plaque acidity test pH response of 5.7 or greater.

47. The comestible of Claim 43 wherein the comestible comprises a hard candy.


48. A chewing gum composition comprising:

- a) about 5% to about 95% gum base;
- b) about 0.1% to about 10% of a flavoring agent;
- c) about 5% to about 90% bulking agent, the bulking agent comprising at least in part indigestible dextrin; and
- d) sweetening amounts of aspartame.

1/7

# Figure 1


## APM Stability of Gum with Indigestible Dextrin






2/7

**Figure 2**  
APM Stability of Gum with Indigestible  
Dextrin and Liquid Sorbitol




3/7

**Figure 3**  
**APM Stability of Gum with Indigestible**  
**Dextrin and Lycasin**




4/7

**Figure 4**  
**Taber Stiffness of Low Moisture Gum**  
**Containing Indigestible Dextrin**



5/7

**Figure 5**  
**Flexibility of Low Moisture Gum**  
**Containing Indigestible Dextrin**



—•— Example 135


—+— Example 136

—\*— Example 137

—□— Example 138


6/7

**Figure 6**  
Taber Stiffness of High Moisture Gum  
Containing Indigestible Dextrin



7/7

**Figure 7**  
Flexibility of High Moisture Gum  
Containing Indigestible Dextrin



## INTERNATIONAL SEARCH REPORT

PCT/US92/08137

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(5) : A23G 3/30

US CL : 426/3

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 426/4,5,6,548, AND 804

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y, P	EP, A, 0,487,187 (MATSUTANI CHEMICAL INDUSTRIES CO. LTD.) Page 5, lines 26-30 05 May 1992	1-40
A, P	EP, A, 0,485,304 (MATSUTANI CHEMICAL INDUSTRIES CO. LTD.) 13 May 1992	1-42
A	EP, A, 0,435,656 (MATSUTANI CHEMICAL INDUSTRIES LTD.) 03 JULY 1991	1-42
A, P	EP, A, 0,477,089 (MATSUTANI CHEMICAL INDUSTRIES CO. LTD.) 25 August 1992.	1-42



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be part of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E* earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Z* document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means	
*P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

16 DECEMBER 1992

Date of mailing of the international search report

11 JAN 1993

Name and mailing address of the ISA/  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Authorized officer

JEANETTE M. HUNTER

Facsimile No. NOT APPLICABLE

Telephone No. (703) 308-3849

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US92/08137

## C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	JP, B, 63-299308 (MATSUNTANI KAGAKU KOGYO K.K.) 25 NOVEMBER 1988	38-42
A	JP, B, 63-307194 (MATSUTANI KAGAKU KOGYO K.K. ) 05 December 1988	38-42